



Institute of Glass and Ceramic Research & Testing (IGCRT)
Bangladesh Council of Scientific and Industrial Research (BCSIR)
Dhanmondi, Dhaka-1205



Requisition for XRD Measurement

(Up to 04 sample is acceptable against each requisition)

Date:

1.	Information of Applicant	:	Name & Designation				
		:	Division & Institution				
		:	Email				
		:	Phone number:				
2.	Name of Project (for BCSIR)	:				Number of Sample(s) Tested under this R&D Project	
3.	Chemical Name and composition of sample	:					
4.	Sample Condition	:	pH	Corrosive	Hazardous	Others	
		:					
6.	Type of experiment:	:	Sample		Scattering angle (2 θ)		
		:	Type	Size	From	To	
		:	a) Powder	1.0 gram			
		:	b) Pallet	20 \times 20 mm ²			
		:	c) Thin film	15 \times 15 mm ²			

Acknowledging the work of the concerned scientist performing the analysis (for BCSIR only)

SL. No.	The type of recognition given by the concerned scientist	Number of samples in 01 financial year (for 01 approved R& D project)	Tick where applicable
01.	As co-author in research article	Analysis 1 to 5 samples	
02.	As co-author in research article & Inclusion as research associate in the R & D project	Analysis more than 5 samples	

Signature of applicant
(with date)

Signature of Director /Officer
In-Charge of Concern Unit (with date)

Signature of Director (IGCRT)

FOR OFFICE USE ONLY

Serial No. of Sample:

Sample received on:

Marked to scientist:

Signature of Lab-in-Charge